



SOLFITAN® 40%

AMMONIUM BISULPHITE SOLUTION

COMPOSITION



Ammonium bisulphite 49 % (400 g/L as SO₂; 113 g/L as NH₄⁺), demineralized water 51%.
Contains sulphites.

CHARACTERISTICS



SOLFITAN® 40% is an aqueous solution of 49% ammonium bisulphite; free from mineral cations salts, which are dangerous to wine stability.

APPLICATIONS



SOLFITAN® 40% is a sulphiting agent capable of developing sulphur dioxide without adding potassium to the medium.
Particularly suitable for providing the yeast a readily assimilable nitrogen source; it activates and regulates the fermentation process.
SOLFITAN® 40% is the ideal sulphiting agent for obtaining regular and complete fermentations, preventing the risks of dangerous stuck fermentation.

When using SOLFITAN® 40% comply with the relative legal regulations in force.



SOLFITAN® 40%

AMMONIUM BISULPHITE SOLUTION



DIRECTIONS FOR USE

Product is ready-to-use. Dose in a homogeneous manner. DOSACOM®, the portable JU.CLAS. in-line dosing system is particularly recommended.



DOSAGE

From 5 to 30 mL/hL.
A dose of 10 mL/hL of SOLFITAN® 40% provides 40 mg/L of sulphur dioxide and about 11 mg/L APA (corresponding to 4.7 g/hL of DAP).



PACKAGING

10 and 25 kg drums; 1300 kg IBC flow bins.



STORAGE

Store in a cool dry place.



HAZARD

Based on the current European regulations the product is classified: hazardous (see MSDS).